Phillips George











FOR SALE

3 Bed Semi-Detached House in Saffron Road, South Wigston, LE18 4TD £249,500

Modernised and much improved extended semi detached home for sale in South Wigston which would ideally suit a family or first time buyer. The accommodation comprises entrance hall, extended rear living room, dining room, extended kitchen, three bedrooms, bathroom, pleasant and private rear garden and ample off road parking. This is a real must see so call and book your viewing today!

Phillips George









LIVING ROOM
16'11" x 11'10"
5.16m x 3.61m

LEAN TO
21'8" x 70"
6.51m x 2.13m

LEAN TO
21'8" x 70"
6.51m x 2.13m

LEAN TO
3.91m x 3.61m

GROUND FLOOR 716 sq.ft. (66.6 sq.m.) approx

15TFLOOR
441 sq.ft. (41.0 sq.m.) approx.

BEDROOM 5
1111' x 111.0"
3.63m x 3.61m

BEDROOM 1
1210' x 111.0"
3.91m x 3.61m

BEDROOM 3
611' x 60' 2.40m x 1.83m

BEDROOM 3
611' x 60' 2.40m x 1.83m

TOTAL FLOOR AREA: 1157 sq.ft. (107.5 sq.m.m.) approx.

Whits every strengt has been made to ensure the occuracy of the floorpian contained here, measurement of doors, involvers, comes set when the strength in the floorpian contained here. The strength is the floorpian contained by the strength of strength in the floorpian contained and strength of strength or ensurement. The pain is the floorpian contained and strength or strength or

- Energy Efficiency Rating

 Very energy efficient lower running costs

 (92-100) A

 (81-91) B

 (69-80) C

 (55-68) D

 (39-54) E

 (21-38) F

 Not energy efficient higher running costs

 England, Scotland & Wales
- Semi Detached
- Extended To The Rear
- Three Bedrooms
- Ample Off Road Parking
- Pleasant Private Rear Garden
- Extended Living Room
- Extended Kitchen
- Highly Popular Location

Agents Note: Whilst every care has been taken to prepare these sales particulars, they are for guidance purposes only. All measurements are approximate are for general guidance purposes only and whilst every care has been taken to ensure their accuracy, they should not be relied upon and potential buyers are advised to recheck the measurements.

